No.



8500143

Pioneer Hi-Bred International, Inc.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLIeighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXuide others from selling the variety, or offering it for sale, or reproducing it, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

195911

In Lestinxony Wathereot, I have hereunto set my hand and caused the seal of the Elaut Tariety Protection Office to be affixed at the City of Washington, D.C. 28th day of February the year of our Lord one thousand nine

hundred and eighty-six

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE WAREHOUSE & SEED DIVISION

FORM APPROVED: OMB NO. 0581-0055 Application is required in order to determine

APPLICATION FOR PLANT VARI	ETY PROTE s on reverse)	CTION CERTIFICATE	be in	lent variety protection certificate is to used (7 U.S.C. 2421). Information is confidential until certificate is issued S.C. 2426).
1. NAME OF APPLICANT(S) Pioneer Hi-Bred International	, Inc.	2. TEMPORARY DESIGNATION		ariety name 591
4. ADDRESS (Street and No. or R.F.D. No., City, State 700 Capital Square	te, and Zip Code)	5. PHONE (Include area code)	PVPC	FOR OFFICIAL USE ONLY
400 Locust Street Des Moines, IA 50309		319-234-0335		8500145
6. GENUS AND SPECIES NAME	7. FAMILY NAI	ME (Botanical)		DATE
Glycine Max	Legumino	sae	FILING	TIME A.M. P.M.
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING
Soybean		October, 1980 January, 1983 (Increa	_ w	DATE
10. IF THE APPLICANT NAMED IS NOT A "PERSON partnership, association, etc.) Corporation	N," GIVE FORM	OF ORGANIZATION (Corporation,	FEES REC	\$ DATE
11. IF INCORPORATED, GIVE STATE OF INCORPO	PRATION		1	L DATE OF INCORPORATION 1926
13. NAME AND ADDRESS OF APPLICANT REPRES Clark W. Jennings 3261 West Airline Highway Waterloo, IA 50703		Mary Helen Mit 700 Capital Sc Des Moines, I <i>F</i> PHONE (Include an	chel Juare 50	1 (copy) e - 400 Locust Street 0309
a. X Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection Ac b. X Exhibit B, Novelty Statement	Variety (See	+ 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1	tection	
15. DOES THE APPLICANT(S) SPECIFY THAT SEED SEED? (See Section 83(a) of the Plant Variety Pro		ETY BE SOLD BY VARIETY NAME Yes (If "Yes," answer		. —
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	D7	CLASSES OF PRODUCTION
Yes X No		Foundation	Re	egistered Certified
18. DID THE APPLICANT(S) FILE FOR PROTECTIO	N OF THE VARI	ETY IN THE U.S.?		Yes (If "Yes," give date) No
19. HAS THE VARIETY BEEN OFFERED FOR SALE	OR MARKETED	IN THE U.S. OR OTHER COUNTS	RIES?	X No
				Yes (If "Yes," give names of countries and dates)
20 01				X No
20. The applicant(s) declare(s) that a viable sample plenished upon request in accordance with sure The undersigned applicant(s) is (are) the owner distinct, uniform, and stable as required in Section 1.	ch regulations a er(s) of this sext	s may be applicable. Ially reproduced novel plant var	iety, 2	nd believe(s) that the variety is
Variety Protection Act. Applicant(s) is (arc) informed that false repres	sentation herein	can jeopardize protection and t	esult i	n penalties.
SIGNATURE OF APPLICANT)	<u> </u>		pril 12, 1985
SIGNATURE OF APPLICANT	•		DA	THE 12,110S

Attachment: 9591 Soybean

Exhibit A: 9591 evolved from a cross of Essex X York. It is an F7-derived variety which was advanced to the F7 generation by modified single-seed descent. The F8 progeny row of 9591 was grown in Tennessee during the summer of 1980. Subsequently, 9591 has undergone 4 years of extensive testing and purification and has been observed by the breeders to be uniform and stable for all plant traits from generation to generation,

with no evidence of variants.

Three acres of 9591 (breeder's seed) were grown in Tennessee during 1983. 60 acres of parent seedstock (foundation seed equivalent) were grown in Missouri during 1984.

Exhibit B: 9591 is most similar to variety Deltapine 105 except 9591 has buff hila, whereas Deltapine 105 has imperfect black hila. In addition to the difference in hila color, 9591 is also significantly shorter than Deltapine 105 by 8.6 inches (see Table 1).

Table 1. Paired Comparison (Height (in inches) 1982-1984

				1.
YR/EXP/LOC#	DELTAPINE 105 (X ₁)	9591 (X ₂)	(x ₁ -x ₂)	(x ₁ -x ₂)2
82/UNA5B2/65 82/UNA5B2/67	45.0 41.3	35.5 30.3	9.5	90.25 121.00
82/UNA5B2/68 82/UNA5B2/70	42.7 40.7	33.7 38.3	9.0	81.00 5.76
82/UNA5B2/71 82/UNA5B2/75	42.0 41.3	32.3 33.0	9.7	94.09 68.89
82/UNA5B2/77	25.7	22.0	3.7	13.69
83/UNV50/68	38.7	32.0	6.7	44.89
83/UNV50/70 83/UNV50/75	41.7 35.0	31.0 25.3	10.7	114.49 94.09
83/GRA50/78 83/GRA50/80	38.5 28.0	25.0 18.0	13.5	182.25
83/GRA50/82	37.0	27.0	10.0	100.00 100.00
83/GRA50/83 83/GRA50/86	32.0 34.0	24.0 22.5	8.0 11.5	64.00 132.25
				-5 - 5 - 5 - 5
84/UNA5B6/67	46.7	33.3	13.4	179.56
84/UNA5B6/68 84/UNA5B6/69	44.3 43.7	34.0 38.7	10.3	106.09 25.00
84/UNA5B6/70	42.3	33.0	9.3	86.49
84/UNA5B6/71 84/UNA5B6/75	43.0 36.0	33.3 28.0	9.7	94.09 64.00
84/GRA50/78 84/GRA50/80	36:0	27.0	9.0	81.0
84/GRA50/81	40 0 33.3	33.0 24.3	7.0 9.0	49.0 81.0
84/GRA50/82 84/GRA50/83	36.7	31.0	5.7	32.49
84/GRA50/86	40.7 38.0	32.0 34.0	8.7 4.0	75.69 16.00
TOTAL	1,044.3	811.5	232.8	2,197.06
MEAN	30.06	38.68	8.62	
n = 27				

$$s_{d} = \frac{2.197.06 - (\{232.8\}^{2}/27)}{27(26)} = 0.520$$

$$t(.05) = \frac{d}{s_{d}} = \frac{8.62}{0.520} = 16.577 ** for 26 df$$

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	•		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Pioneer Hi-Bred International, Inc.		9591	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code 700 Capital Square 400 Locust Street Des Moines, IA 50309	e)	FOR OFFICIA PVPO NUMBER	500143
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described l place a zero in the first box w	below. When the number hen number is 9 or less	er of significant digits (e.g., 0 9).
1. SEED SHAPE:	O ,		
2 L W 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/W ratio > 1.2; L/T ratio L/T ratio > 1.2; T/W > 1	
2. SEED COAT COLOR: (Mature Seed)			
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other ((Specify)	
3 SEED COAT LUSTER: (Mature Hand Shelled Seed)			
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y': 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 7 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			V -
1 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blad	ck 6≔ Black	7 = Other <i>(Specify)</i>
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		* .	
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'G	bronze band below cotyledons (1) Coker Hampton 266A')	Woodworth'; 'Tracy')	
D. LEAFLET SHAPE:			
2 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

185

11. LEA	FLET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAI	F COLOR:	
3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOV	WER COLOR:	
2	. 1 = White 2 = Purple 3 = White with purple throat	
14. POD	COLOR:	
2	1 = Tan 2 = Brown 3 = Black	
15. PLAN	NT PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	
16. PLAN	NT TYPES:	
1	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	NT HABIT:	
1	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATU	URITY GROUP:	
18. MATU	URITY GROUP:	= IV 8 = V
0 8	URITY GROUP: 1 1 = 000	= IV 8 = V
0 8	URITY GROUP: 1 = 000	
0 8	URITY GROUP: 1 = 000	
0 8	URITY GROUP: 1 = 000	
19. DISEA BACT 2	URITY GROUP: 1 = 000	
0 8 19. DISEA BACT 2 0	URITY GROUP: 1 = 000	
0 8 19. DISEA BACT 2 0	URITY GROUP: 1 = 000	
19. DISEA BACT 2 0 2 FUNG	URITY GROUP: 1 = 000	
19. DISEA BACT 2 0 2 FUNG	URITY GROUP: 1 = 000	
19. DISEA BACT 2 0 2 FUNG	URITY GROUP: 1 = 000	
0 8 19. DISEA BACT 2 0 FUNG	URITY GROUP: 1 = 000	
0 8 19. DISEA BACT 2 0 FUNG 0	URITY GROUP: 1 = 000	
19. DISEA BACT 2 0 10 0 0 0	URITY GROUP: 1 = 000	

FORM LMGS-470-57 (2-82)


19. DISEASE REACTI	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)			
0 Pod and St	tem Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>	•		
O Purple See	d Stain (Cercospora kikuchii)			
Q Rhizoctoni	a Root Rot (Rhizoctonia solani)			
Phytophth	ora Rot (Phytophthora megasperma var. sojae)			
Race 1	0 Race 2 0 Race 3 0	Race 4 0 Race !	5 0 Race 6	0 Race 7
0 Race 8	0 Race 9 Other (Specify)			
VIRAL DISEASE	S:			
0 Bud Blight	(Tobacco Ringspot Virus)		A	
O Yellow Mos	aic (Bean Yellow Mosaic Virus)	en Salania.		
O Cowpea Mo	saic (Cowpea Chlorotic Virus)			••
0 Pod Mottle	(Bean Pod Mottle Virus)			•
0 Seed Mottle	(Soybean Mosaic Virus)			
NEMATODE DISE	ASES:		•	
Sovbean Cv	st Nematode (<i>Heterodera glycines</i>)			
0 Race 1	0 Race 2 1 Race 3 1	Race 4 Other	(Specify)	
C Lance Nema	tode (Hopicialmus Colombus)			
H	ot Knot Nematode (Meloidogyne incognita)	·		
一	ot Knot Nematode (Meloidogyne Hapla)			
	Knot Nematode (Meloidogyne arenaria)	•		
	matode (Rotylenchulus reniformis)			
U OTHER DISI	EASE NOT ON FORM (Specify):	•		
D. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)		
0 Iron Chlorosis	s on Calcareous Soil		·	
Other (Specif	y)		and the second second	
I. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)		
	Beetle (Epilachna varivestis)			
	opper (Empoasca fabae)			
<u> </u>	//			
				· · · · · · · · · · · · · · · · · · ·
	RIETY MOST CLOSELY RESEMBLES THAT			
CHARACTER Plant Shane	NAME OF VARIETY Deltapine 105	CHARACTER	NAME OF VA	RIETY
Plant Shape Leaf Shape	Deltapine 105	Seed Coat Luster	Deltapine 105	
Leaf Color	Essex	Seed Size		
Leaf Size	York	Seed Snape Seedling Pigmentation	Deltapine 105	
State of the state	· OFF		Deltapine 105	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING MATURITY SCORE	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9591 Submitted	134	1.2	. 76			· · · · · · · · · · · · · · · · · · ·		17	
Deltapine 10 Name of Similar Variety	5 134	2.8	98					13	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.





PIONEER HI-BRED INTERNATIONAL, INC. PLANT BREEDING DIVISION

DEPARTMENT OF SOYBEAN BREEDING 3261 WEST AIRLINE HIGHWAY • WATERLOO, IOWA 50703 PHONE (319) 234-0335

Attachment: 9691 Soybean

Exhibit E: Statement of Applicant's Ownership

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of the '9691' variety of soybeans for which it solicits a certificate of protection.